

C-19



# Expert Testimony

Dr. Vanessa Thulsiraj on behalf of  
Dr. Richard Ambrose,  
University of California Los Angeles

Investigation of FIB and human-specific *Bacteroidales*  
within Malibu Creek & Lagoon



# Summary of UCLA 2009 Study

Investigation of FIB and human-specific  
*Bacteroidales* within Malibu Creek & Lagoon

Collaborative study between Dr. Jennifer Jay  
and Dr. Richard Ambrose

Presentation by Vanessa Thulsiraj, PhD Candidate

## Objectives: Malibu Lagoon

- 1) Compare FIB concentrations for the following environmental conditions
  - a) Wet weather, open lagoon
  - b) Dry weather, open lagoon
  - c) Dry weather, closed lagoon
  
- 2) Compare traditional FIB concentrations to human-specific *Bacteroidales* marker



4, MC1

Bridge,  
MC2

10

6

9

X

5, MC3

8 & 8D

B

C

A

7, MC4

11

3 & 3D

2 & 2D

1

Y, MC5

©2009 Google

Imagery Date: Oct 23, 2007


34°02'15.26" N 118°41'03.03" W elev 14 ft

Eye alt 8409 ft

# E. coli (MPN/100mL)

Water Quality Limit:  
400 CFUs/100mL


Wet weather, open
Dry weather, open
Dry weather, transitional (open)
Dry weather, closed



# Enterococcus (MPN/100mL)

Water Quality Limit:  
104 CFUs/100mL

Wet weather, open
Dry weather, open
Dry weather, transitional (open)
Dry weather, closed



## Conclusions: Fecal Indicator Bacteria

- FIB concentrations high throughout stream, lagoon and ocean after rainfall
  - Only time of high FIB upstream and in ocean
- FIB concentrations generally low when lagoon open during wet season
  - Specific hot spot areas
- FIB concentrations high throughout lagoon when lagoon closed

## Background

- Griffith et al found detection of *Bacteroidales* to be the most effective method to detect human fecal pollution in various mixtures of fecal sources
  - human-specific *Bacteroidales* in all samples containing human waste, with no false positives
- Members of the order *Bacteroidales* are found exclusively within feces, digestive tract, and other body cavities
- Members of the order *Bacteroidales* from different types of fecal sources exhibit distinct genetic sequences

## Methods

- Samples were analyzed for human-specific Bacteroides as in Seurinck et al. (2005)
- A melting point of  $76.4^{\circ}\text{C} \pm 0.2^{\circ}\text{C}$  indicated positive, correct amplification of the human-specific Bacteroides
- The presence of environmental interference was assessed by running samples spiked with a  $2 \times 10^5$  copies /  $\mu\text{L}$  dilution of a human-specific Bacteroides plasmid

# Methods

MM = Mastermix

m-H2O = sterile RNase free H2O

standard/plasmid = we got a Bacteroides plasmid from Dr. Fuhrman's lab. The standard is used both in the SAMPLE+SPIKE and the STANDARD CURVE.

SAMPLE	SAMPLE+SPIKE	STANDARD
1 uL sample	1 uL sample	1 uL standard (plasmid)
11.18 uL m-h2o	1 uL standard (plasmid)	11.18 uL m-H2O
12.82 uL MM	10.18 uL m-H2O	12.82 uL MM
	12.82 uL MM	

X1	X1	Y1	Y1	X1+Spike	Y1+Spike	Std-D1	<i>Std-D1</i>				
X2	X2	Y2	Y2	X2+Spike	Y2+Spike	Std-D2	<i>Std-D2</i>				
X3	X3	Y3	Y3	X3+Spike	Y3+Spike	Std-D3	<i>Std-D3</i>				
X4	X4	Y4	Y4	X4+Spike	Y4+Spike	Std-D4	<i>Std-D4</i>				
X5	X5	Y5	Y5	X5+Spike	Y5+Spike	Std-D5	<i>Std-D5</i>				
X6	X6	Y6	Y6	X6+Spike	Y6+Spike	Std-D6	<i>Std-D6</i>				
X7	X7	Y7	Y7	X7+Spike	Y7+Spike	Std-D7	<i>Std-D7</i>				
X8	X8	Y8	Y8	X8+Spike	Y8+Spike	Std-D8	<i>Std-D8</i>		Neg control	Neg control	
1	2	3	4	5	7	8	9	10	11	12	
Samples & dups (16 tot)				Spikes, no dups		Std curve + dups			negative controls		

**Actual Plate is the dark border with dashed gridlines.**

Sample Calculation:  $\frac{\text{Human cps/ul}}{\text{ul extract used}} \times \frac{50\text{ul total}}{\text{L filtered}}$

**Human-specific  
*Bacteroides* (cps/L)**

Wet weather, open
Dry weather, open
Dry weather, transitional (open)
Dry weather, closed

--
INT
INT
INT

-
0
0
0

0
0
INT
0

0
0
0
0

--
0
0
0

0
0
0
1098, 0
0

0
0
0
0

0
0
0
0

14800, 2800
0
0
0
0

INT
0
INT
0

0
0
0
0

INT
0
0
0
0

7226, 1806
0
0
0, 2418

0
0
0
0
4200, 0
0

--
0
0
0

0
0
0
0

0
0
0
0
0

(5)

Google

## City of Malibu Study

- 2 week study conducted in Malibu Creek and Lagoon
  - 5 sample locations (MC1 – MC5) were further analyzed for presence of HBM
  - MC1 – MC4 sampled on 4/29
  - MC5 samples on 4/29, 4/30, 5/5, 5/7
  - No detection of HBM in any samples taken during this time (April/May)

## Summary

- HBM not detected in dry weather open lagoon (39)
- 5 samples were positive for HBM (7%)
- Human-specific *Bacteroides* marker was detected in dry and wet weather samples in Malibu Lagoon
  - HBM detected in 15% (2/13) wet weather open lagoon samples
    - Sites 3, 5
  - HBM detected in 14% (3/22) dry weather closed lagoon samples
    - Sites 3, 6, 7

## Summary

- 74 total samples analyzed for HBM
  - 69 samples did not contain HBM (93%)
- Human-specific *Bacteroides* marker was not detected in any ocean water samples
- Exceedance of FIB water quality health standards occurred at sites where no HBM was detected
- No correlation between FIB and HBM

# February 16, 2009

Date	Sample	Cps/uL extract	Duplicate		Average	
			Cps/uL extract	Human cps/L	Human cps/L	Human cps/L
2/16/09	A	-	-	-	-	-
2/16/09	B	0.0	0.0	0.0	0.0	0.0
2/16/09	C	-	-	-	-	-
2/16/09	1	0.0	0.0	0.0	0.0	0.0
2/16/09	2	0.0	0.0	0.0	0.0	0.0
2/16/09	2D	0.0	0.0	0.0	0.0	0.0
2/16/09	3	5.6	1.4	7226	1806	4516
2/16/09	3D	0.0	0.0	0.0	0.0	0.0
2/16/09	5	7.4	1.4	14800	2800	8800
2/16/09	6	0.0	0.0	0.0	0.0	0.0
2/16/09	7	0.0	0.0	0.0	0.0	0.0
2/16/09	8	0.0	0.0	0.0	0.0	0.0
2/16/09	8D	0.0	0.0	0.0	0.0	0.0
2/16/09	9	0.0	0.0	0.0	0.0	0.0
2/16/09	10	0.0	0.0	0.0	0.0	0.0

# March 20, 2009

Date	Sample	Cps/uL extract	Duplicate		Average	
			Cps/uL extract	Human cps/L	Human cps/L	Human cps/L
3/20/09	A	0.0	0.0	0.0	0.0	0.0
3/20/09	B	0.0	0.0	0.0	0.0	0.0
3/20/09	C	0.0	0.0	0.0	0.0	0.0
3/20/09	X	0.0	0.0	0.0	0.0	0.0
3/20/09	Y	0.0	0.0	0.0	0.0	0.0
3/20/09	Bridge	-	-	-	-	-
3/20/09	1	0.0	0.0	0.0	0.0	0.0
3/20/09	2	0.0	0.0	0.0	0.0	0.0
3/20/09	3	0.0	0.0	0.0	0.0	0.0
3/20/09	3D	0.0	0.0	0.0	0.0	0.0
3/20/09	4	0.0	0.0	0.0	0.0	0.0
3/20/09	5	0.0	0.0	0.0	0.0	0.0
3/20/09	6	0.0	0.0	0.0	0.0	0.0
3/20/09	7	0.0	0.0	0.0	0.0	0.0
3/20/09	8	0.0	0.0	0.0	0.0	0.0
3/20/09	8D	0.0	0.0	0.0	0.0	0.0
3/20/09	9	0.0	0.0	0.0	0.0	0.0
3/20/09	10	0.0	0.0	0.0	0.0	0.0

# May 21, 2009

Date	Sample	Cps/uL extract	Duplicate		Average	
			Cps/uL extract	Human cps/L	Human cps/L	Human cps/L
5/21/09	A	0.0	0.0	0.0	0.0	0.0
5/21/09	B	0.0	0.0	0.0	0.0	0.0
5/21/09	C	-	-	-	-	-
5/21/09	X	0.0	0.0	0.0	0.0	0.0
5/21/09	Y	0.0	0.0	0.0	0.0	0.0
5/21/09	Bridge	-	-	-	-	-
5/21/09	1	0.0	0.0	0.0	0.0	0.0
5/21/09	2	0.0	0.0	0.0	0.0	0.0
5/21/09	3	0.0	0.0	0.0	0.0	0.0
5/21/09	3D	0.0	0.0	0.0	0.0	0.0
5/21/09	4	0.0	0.0	0.0	0.0	0.0
5/21/09	5	0.0	0.0	0.0	0.0	0.0
5/21/09	6	0.0	0.0	0.0	0.0	0.0
5/21/09	7	0.0	0.0	0.0	0.0	0.0
5/21/09	8	0.0	0.0	0.0	0.0	0.0
5/21/09	9	0.0	0.0	0.0	0.0	0.0
5/21/09	10	-	-	-	-	-
5/21/09	11	0.0	0.0	0.0	0.0	0.0

# July 18, 2009

Date	Sample	Cps/uL extract	Duplicate	Human cps/L	Duplicate	Average
			Cps/uL extract		Human cps/L	Human cps/L
7/18/09	A	0.0	0.0	0.0	0.0	0.0
7/18/09	B	0.0	0.0	0.0	0.0	0.0
7/18/09	C	0.0	0.0	0.0	0.0	0.0
7/18/09	X	0.0	0.0	0.0	0.0	0.0
7/18/09	Y	0.0	0.0	0.0	0.0	0.0
7/18/09	Bridge	-	-	-	-	-
7/18/09	1	0.0	0.0	0.0	0.0	0.0
7/18/09	2	0.0	0.0	0.0	0.0	0.0
7/18/09	2D	0.0	0.0	0.0	0.0	0.0
7/18/09	3	0.0	1.3	0.0	2418	1209
7/18/09	3D	0.0	0.0	0.0	0.0	0.0
7/18/09	4	0.0	0.0	0.0	0.0	0.0
7/18/09	5	0.0	0.0	0.0	0.0	0.0
7/18/09	6	1.4	0.0	1098	0.0	549
7/18/09	7	1.1	0.0	4200	0.0	2100
7/18/09	8	0.0	0.0	0.0	0.0	0.0
7/18/09	9	0.0	0.0	0.0	0.0	0.0
7/18/09	10	0.0	0.0	0.0	0.0	0.0
7/18/09	11	0.0	0.0	0.0	0.0	0.0